

# **The Trail Inventory of Little White Salmon NFH**

**Cook, WA**



Prepared By:  
Federal Highway Administration  
Central Federal Lands Highway Division  
September, 2012



# TABLE OF CONTENTS

<b><u>SECTION</u></b>	<b><u>PAGE</u></b>
<b>I.     <u>TRAIL AND TRAIL FEATURE SUMMARIES</u></b>	1 - 1
<b>II.    <u>TRAIL LOCATION MAPS</u></b>	2 - 1
<b>III.   <u>TRAIL IDENTIFICATION LIST</u></b>	3 - 1
<b>IV.    <u>TRAIL CONDITION RATING SHEETS</u></b>	4 - 1
<b>V.     <u>TRAIL DEFICIENCY RATING SHEETS</u></b>	5 - 1
<b>VI.    <u>PHOTOGRAPHIC SHEETS</u></b>	6 - 1
<b>VII.   <u>GLOSSARY</u></b>	i

# Little White Salmon NFH

## Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface Type	Excellent		Good		Poor		Total
	Miles	%	Miles	%	Miles	%	Miles
Native	0.05	56%	0.03	33%	0.01	11%	0.09
Concrete	0.05	100%	0.00	0%	0.00	0%	0.05
Total	0.10	71%	0.03	21%	0.01	7%	0.14

Trail Miles and Percentages by Trail Classification and Condition

Trail Classification	Excellent		Good		Poor		Total
	Miles	%	Miles	%	Miles	%	Miles
TC2	0.05	100%	0.00	0%	0.00	0%	0.05
TC3	0.00	0%	0.03	75%	0.01	25%	0.04
TC5	0.05	100%	0.00	0%	0.00	0%	0.05
Total	0.10	71%	0.03	21%	0.01	7%	0.14

\*Admin Roads are included in the inventory but are not rated for condition.

## Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Trailhead	1	No	0.00	LIWS_C3_0366
T200	Political Boundary	32	No	0.02	
T201	Gate	1	No	0.00	
T201	Trailhead	1	No	0.00	LIWS_C3_0358
T201	Max Grade- %	27	No	0.01	
T201	Sign	1	No	0.02	LIWS_C3_0365
T300	Trailhead	1	No	0.00	LIWS_C3_0356
T300	Step: Log -each	15	No	0.01	
T301	Trailhead	1	No	0.00	LIWS_C3_0345
T301	Max Grade- %	29	No	0.01	
T301	Step Stones -each	1	No	0.02	
T301	Sign	1	No	0.02	LIWS_C3_0347
T301	Step: Log -each	10	No	0.02	
T500	Sign	1	No	0.00	LIWS_C3_0351
T500	Trailhead	1	No	0.00	LIWS_C3_0352
T500	Max Grade- %	11	No	0.02	
T500	Crib: Rock -cf	180	No	0.03	



sf - square feet

lf - linear feet

cf - cubic feet



# Little White Salmon NFH Trail Location Map



## Trails ID

**Station Name:** Little White Salmon NFH

**Org Code:** 13230

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T200	Highway Bridge Area	Native	N/A	0.03	From Hatchery Entrance Road (Rte 010) MP 0.0 to river
T201	Rocky Point	Native	10045080	0.02	From Hatchery Entrance Road (Rte 010) MP 0.3 to river
T300	Bluff Fishing Area	Native	N/A	0.01	From Hatchery Entrance Road (Rte 010) MP 0.6 to river
T301	Boat Storage Area	Native	N/A	0.03	From Hatchery Entrance Road (Rte 010) MP 0.6 to river
T500	Social Security Trail	Concrete	N/A	0.05	From Hatchery Entrance Road (Rte 010) MP 0.4 to river



## TRAIL CONDITION



**Trail Name:** Highway Bridge Area

**Refuge Name:** Little White Salmon NFH

**Trail Number:** T200

**Region:** 1

**Total Length:** 0.03 Miles

Section Number	001
Section Length (miles)	0.03
SAMMS Number	N/A
Rating Date	05/15/2007
<b>Trail Section Information</b>	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	25
Average Grade (%)	13.6
Average X-slope (%)	10.10
<b>Trail Condition Information</b>	
Deferred Maintenance	
CRV	\$1,594
FCI	0.00
Condition	Excellent

### Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$1,594	0.00	Excellent

## TRAIL CONDITION



**Trail Name:** Rocky Point  
**Trail Number:** T201

**Refuge Name:** Little White Salmon NFH  
**Region:** 1

**Total Length:** 0.02 Miles



Section Number	001
Section Length (miles)	0.02
SAMMS Number	10045080
Rating Date	05/15/2007
<b>Trail Section Information</b>	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	40
Average Grade (%)	16.3
Average X-slope (%)	2.10
<b>Trail Condition Information</b>	
Deferred Maintenance	
CRV	\$1,701
FCI	0.00
Condition	Excellent

### Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$1,701	0.00	Excellent



## TRAIL CONDITION



**Trail Name:** Bluff Fishing Area  
**Trail Number:** T300

**Refuge Name:** Little White Salmon NFH  
**Region:** 1



**Total Length:** 0.01 Miles

Section Number	001
Section Length (miles)	0.01
SAMMS Number	N/A
Rating Date	05/15/2007
<b>Trail Section Information</b>	
Trail Class	TC3
Surface Type	Native
Surface Firmness	Firm
Width (inches)	32
Average Grade (%)	26.4
Average X-slope (%)	6.00
<b>Trail Condition Information</b>	
Deferred Maintenance	\$603
CRV	\$681
FCI	0.11
Condition	Poor

### Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$603	\$681	0.11	

## TRAIL CONDITION



**Trail Name:** Boat Storage Area  
**Trail Number:** T301

**Refuge Name:** Little White Salmon NFH  
**Region:** 1

**Total Length:** 0.03 Miles


Section Number	001
Section Length (miles)	0.03
SAMMS Number	N/A
Rating Date	05/15/2007
<b>Trail Section Information</b>	
Trail Class	TC3
Surface Type	Native
Surface Firmness	Firm
Width (inches)	32
Average Grade (%)	34.0
Average X-slope (%)	6.00
<b>Trail Condition Information</b>	
Deferred Maintenance	\$187
CRV	\$2,039
FCI	0.03
Condition	Good

### Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
\$187	\$2,039	0.03	Good



## TRAIL CONDITION



**Trail Name:** Social Security Trail

**Refuge Name:** Little White Salmon NFH

**Trail Number:** T500

**Region:** 1

**Total Length:** 0.05 Miles


Section Number	001
Section Length (miles)	0.05
SAMMS Number	N/A
Rating Date	08/20/2012
<b>Trail Section Information</b>	
Trail Class	TC5
Surface Type	Concrete
Surface Firmness	Paved
Width (inches)	60
Average Grade (%)	5.7
Average X-slope (%)	3.30
<b>Trail Condition Information</b>	
Deferred Maintenance	
CRV	\$9,984
FCI	0.00
Condition	Excellent

### Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$9,984	0.00	Excellent



## TRAIL DEFICIENCY



**Trail Name:** Bluff Fishing Area

**Refuge Name:** Little White Salmon NFH

**Trail Number:** T300


**Region:** 1

**Total Length:** 0.01 Miles

Mile Post	0.01
Section Number	001
Photo Number	LISA_C3_0357
Deficiency	Trail Structure
Action	Replace
Item	Step: Log -each
Quantity	4
Deferred Maintenance	\$603



## TRAIL DEFICIENCY



**Trail Name:** Boat Storage Area

**Refuge Name:** Little White Salmon NFH

**Trail Number:** T301

**Region:** 1

**Total Length:** 0.03 Miles

Mile Post	0.01
Section Number	001
Photo Number	LISA_C3_0346
Deficiency	Trail Structure
Action	Replace
Item	Step: Log -each
Quantity	1
Deferred Maintenance	\$187



## PHOTOGRAPHIC SHEET

TRAIL NUMBER: T200

STATION: Little White Salmon NFH

DATE: 05/15/2007



Photo # LIWS\_C3\_0366 - MP 0.00 - Trailhead

TRAIL NUMBER: T201

STATION: Little White Salmon NFH

DATE: 05/15/2007



Photo # LIWS\_C3\_0358 - MP 0.00 - Trailhead



## PHOTOGRAPHIC SHEET

TRAIL NUMBER: T201

STATION: Little White Salmon NFH

DATE: 08/20/2012



Photo # LIWS\_C3\_0365 - MP 0.02 - Sign

TRAIL NUMBER: T300

STATION: Little White Salmon NFH

DATE: 05/15/2007



Photo # LIWS\_C3\_0356 - MP 0.00 - Trailhead



## PHOTOGRAPHIC SHEET

TRAIL NUMBER: T301

STATION: Little White Salmon NFH

DATE: 05/15/2007



Photo # LIWS\_C3\_0345 - MP 0.00 - Trailhead

TRAIL NUMBER: T301

STATION: Little White Salmon NFH

DATE: 05/15/2007



Photo # LIWS\_C3\_0347 - MP 0.02 - Sign



## PHOTOGRAPHIC SHEET

TRAIL NUMBER: T500  
STATION: Little White Salmon NFH  
DATE: 08/20/2012



Photo # LIWS\_C3\_0351 - MP 0.00 - Sign

TRAIL NUMBER: T500  
STATION: Little White Salmon NFH  
DATE: 08/20/2012



Photo # LIWS\_C3\_0352 - MP 0.00 - Trailhead



## Glossary of Terms and Abbreviations

<b>Acc Info</b>	Accessibility information available at trailhead.
<b>Action</b>	Action required to correct deficiency.
<b>Admin Road</b>	Administration Road. Admin Roads signed and advertised as trails are included in the trail inventory but a condition assessment is NOT done.
<b>Alt SAMMS</b>	SAMMS number of Alternate Facility Type.
<b>Alt Type</b>	Alternate Facility Type. Trail lies on a feature such as a levee, dam, administrative road or bridge, which has a separate SAMMS number.
<b>AvgGrade</b>	The average grade of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
<b>AvgSlope</b>	The average cross-slope of the trail (%). The average of five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.
<b>Check Dam</b>	A small dam constructed across a drainage ditch, swale, or channel to lower the speed of concentrated flows.
<b>Condition</b>	Subjective rating of trail based on Facility Condition Index (FCI): FCI $\leq$ .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI $>$ .20 = Failed
<b>Crib Wall</b>	Retaining wall.
<b>Current Replacement Value (CRV)</b>	The value of an asset determined by the estimated cost of replacing it.
<b>Def type</b>	Deficiency Type: Trail Structure, Drainage, Erosion, Obstacle, Trail Location, Other.
<b>Deferred Maintenance (DM)</b>	Maintenance that was not performed when scheduled.

<b>Elem ID</b>	Unique identifier for each trail section: Org Code-Trail Number-Section Number.
<b>Facility Condition Index (FCI)</b>	DM/CRV
<b>Grouped Features</b>	Grouped features include non-unique signs (mileposts, interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the “quantity” field of the data dictionary.
<b>Info Type</b>	Type of accessibility information available at trailhead: brochure, sign or other.
<b>Item</b>	Item on which the “Action” (see above) will be performed.
<b>Manage_Use</b>	Managed use of the trail: HIKE, BIKE, NSPC (non-specified), PACK, POR (portage), SNOWSHOE, XSKI (cross-country ski), OTHER.
<b>MP</b>	Distance of a trail feature or deficiency from the Trailhead.
<b>Puncheon</b>	Log footbridge used in area of poor drainage.
<b>Raised Trail Structure</b>	Boardwalk, Turnpike, Puncheon.
<b>T Class</b>	Trail Class: I-V (see Appendix ? for trail class descriptions).
<b>Tr Desig</b>	Trail Designation: Standard (Std), National Historic Trail (NHT), National Recreation Trail (NRT), National Scenic Trail (NST).
<b>Turnpike</b>	Trail tread elevated with dirt, rock or other aggregate from parallel side ditches and held in place by logs.